

Adama City Health Office

SNO	Activity	Total (From 55 health facilities)
1	Number of Health Facilities	112
C1	Access to Health Service	
C1.1	Maternal, Neonatal and Child Health	
C1.1.1	Maternal Health	
C1.1.1.1	Contraceptive acceptance rate	
1.1.1.1	Total new and repeat acceptors, disaggregated by age	12448
1.1.1.1.1	New acceptors by age	4961
1.1.1.1.1.1	Less than 15 years	4
1.1.1.1.1.2	15-19 years	610
1.1.1.1.1.3	20 - 24 years	2131
1.1.1.1.1.4	25 -49 years	2216
1.1.1.1.2	Repeat acceptors by age	7487
1.1.1.1.2.1	Less than 15 years	0
1.1.1.1.2.2	15-19 years	766
1.1.1.1.2.3	20 - 24 years	2955
1.1.1.1.2.4	25 -49 years	3766
1.1.1.2	Total new and repeat acceptors, disaggregated by method	12384
1.1.1.2.1	New acceptors, by method	4903
1.1.1.2.1.1	Oral contraceptives	721
1.1.1.2.1.2	Injectables	2698
1.1.1.2.1.3	Implants	1165
1.1.1.2.1.4	IUCD	297
1.1.1.2.1.5	Others	22
1.1.1.2.2	Repeat acceptors, by method	7481
1.1.1.2.2.1	Oral contraceptives	959
1.1.1.2.2.2	Injectables	4850
1.1.1.2.2.3	Implants	1542
1.1.1.2.2.4	IUCD	88
1.1.1.2.2.5	Others	42
C1.1.1.2	Antenatal Care coverage - First visit	
1.1.2.1	Number of pregnant women that received antenatal care at least once	4727
C1.1.1.3	Antental Care coverage - four visits	

1.1.3.1	Number of pregnant women that received antenatal care: at least four visits	4078
C1.1.1.6	Proportion of births attended by health extension workers at Health Post	
1.1.6.1	Number of births attended by health extension workers at Health Post	0
C1.1.1.4	Percentage of pregnant women attending antenatal care clinics tested for syphilis	
1.1.4.1	Number of pregnant women tested for syphilis	4189
C1.1.1.5	Proportion of births attended by skilled health personnel	
1.1.5.1	Number of births attended by skilled health personnel	3554
C1.1.1.7	Early Postnatal Care Coverage	
1.1.7.1	Early first postnatal care attendances 0-48 hrs (0-2 days)	2103
1.1.7.2	Early first postnatal care attendances 49-72 hrs (2- 3 days)	916
1.1.7.3	Early first postnatal care attendances 73 hrs-6 days (4- 6 days)	613
C1.1.1.11	Number of maternal deaths in the community	
1.1.11.1	Number of maternal deaths at home	0
1.1.11.2	Number of maternal deaths on the way to health facility	0
1.1.11.3	Number Maternal deaths at health post	0
1.1.11.4	Total number of maternal deaths in the community	0
C1.1.1.8	Caesarean section rate	
1.1.8.1	Number of women having given birth by caesarean section	813
C1.1.1.9	Number of women receiving comprehensive abortion care services	1828
1.1.9.1	Number of safe abortions performed	1615
1.1.9.1.1	Less than 18 years	131
1.1.9.1.2	Grater than or equal to 18 years	1484
1.1.9.2	Number of post abortion/emergency care	213
1.1.9.2.1	Less than 18 years	17
1.1.9.2.2	Grater than or equal to 18 years	196
C1.1.1.10	Institutional maternal deaths	
1.1.10.1	Number of maternal deaths in health facility	2
C1.1.1.12	Still birth rate	
1.1.12.1	Number of still births	84
1.1.12.2	Number of Live births	3472
C1.1.1.13	Proportion of kebeles declared 'home delivery free'	
1.1.13.1	Number of kebeles that have been declared home delivery free	0
C1.1.2	PMTCT	
C1.1.2.1	Percentage of pregnant and lactating women who were tested for HIV and who know their results	

1.2.1.1	Number of pregnant women tested and know their result during pregnancy	4332
1.2.1.2	Number of pregnant women tested and know their result during labour & delivery	1405
1.2.1.3	Number of women tested and know their result during the postpartum period	8
1.2.1.4	Number of women tested positive for HIV	86
C1.1.2.2	Number of HIV Positive pregnant and lactating women who received ART at ANC+L&D+PNC for the first time based on option B+.	42
1.2.2.1	Number of HIV positive Pregnant women who received ART to reduce the risk of mother to child tra	36
1.2.2.2	Number of HIV positive Pregnant women who received ART to reduce the risk of mother to child transmission during L&D for the first time	6
1.2.2.3	Number of HIV positive lactating women who received ART to reduce the risk of mother to child tra	0
1.2.2.4	Number of HIV positive pregnant and lactating women who received ARV prophylaxis	0
1.2.2.4.1	Maternal AZT prophylaxis	0
1.2.2.4.2	Triple ARV prophylaxis	0
C1.1.2.3	Number of HIV-positive women who get pregnant while on ART and linked to ANC	50
1.2.3.1	Number of HIV-positive women who get pregnant while on ART and linked to ANC	50
C1.1.2.4	Percentage of infants born to HIV infected women receiving a virological test for HIV within 12 months of birth	
1.2.4.1	Number of HIV exposed infants who received an HIV test within 2 months of birth, during the reportin	97
1.2.4.2	Number of HIV exposed infants who received an HIV test between 2 and 12 months, during the repc	16
C1.1.2.5	Percentage of Infants born to HIV-infected women started on co-trimoxazole prophylaxis within two m	
1.2.5.1	Number of infants born to HIV positive women started on co-trimoxazole prophylaxis within two mont	91
C1.1.2.6	Percentage of infants born to HIV-infected women receiving antiretroviral (ARV) prophylaxis for preve	
1.2.6.1	Number of HIV exposed infants who received antiretroviral (ARV) prophylaxis at L&D and PNC	61
C1.1.2.7	Percentage of HIV exposed infants receiving HIV confirmatory (antibody test) test by 18 months	
1.2.7.1	Number of HIV exposed infants receiving HIV confirmatory (antibody test) by 18 months- whose test	3
1.2.7.2	Number of HIV exposed infants receiving HIV confirmatory (antibody test) by 18 months- whose test	57
C1.1.3	Child Health	
1.3.0	Number of children under one year of age who have received BCG vaccine	3640
C1.1.3.1	DPT1-HepB1-Hib1(Pentavalent first dose) immunization coverage (Less than 1 year)	
1.3.1.1	Number of children under one year of age who have received first dose of pentavalent vaccine	3746
C1.1.3.2	DTP3-HepB3-Hib3 (Pentavalent third dose) immunization coverage (Less than 1 year)	
1.3.2.1	Number of children under one year of age who have received third dose of pentavalent vaccine	2965
C1.1.3.3	Pneumococcal conjugated vaccine first dose (PCV1) immunization coverage (Less than 1 year)	
1.3.3.1	Number of children under one year of age who have received first dose of pneumococcal vaccine	3693
C1.1.3.4	Pneumococcal conjugated vaccine third dose (PCV3) immunization coverage (Less than 1 year)	

1.3.4.1	Number of children under one year of age who have received third dose of pneumococcal vaccine	3088
C1.1.3.5	Rotavirus vaccine first dose (Rota1) immunization coverage (Less than 1 year)	
1.3.5.1	Number of children under one year of age who have received first dose of Rotavirus vaccine	3820
C1.1.3.6	Rotavirus vaccine second dose (Rota2) immunization coverage (Less than 1 year)	
1.3.6.1	Number of children under one year of age who have received 2nd dose of Rotavirus vaccine	3397
C1.1.3.7	Measles immunization coverage (Less than 1 Year)	
1.3.7.1	Number of children under one year of age who have received measles vaccine	2505
C1.1.3.8	Full immunization coverage (Less than 1 year)	
1.3.8.1	Number of children received all vaccine doses before 1st birthday	2467
C1.1.3.9	Proportion of infants protected at birth against neonatal tetanus	
1.3.9.1	Number of Infants whose mothers had protective doses of TT against NNT (PAB)	3629
1.3.9.2	Number of children under one year of age who have received first dose of Polio vaccine	3820
1.3.9.3	Number of children under one year of age who have received third dose of Polio vaccine	3102
C1.1.3.10	Vaccine wastage rate	
1.3.10.1(G)	BCG doses given (all ages)	3732
1.3.10.1(O)	BCG doses opened	4670
1.3.10.2(G)	Pentavalent (DPT-HepB-Hib) doses given (all ages)	9806
1.3.10.2(O)	Pentavalent (DPT-HepB-Hib) doses open	10059
1.3.10.3(G)	Pneumococcal conjugated vaccine doses given (all ages)	10064
1.3.10.3(O)	Pneumococcal conjugated vaccine doses opened	10742
1.3.10.4(G)	Rota doses given (all ages)	7417
1.3.10.4(O)	Rota doses opened	7465
1.3.10.5(G)	Polio doses given (all ages)	10487
1.3.10.5(O)	Polio doses opened	10898
1.3.10.6(G)	Measles doses given (all ages)	2507
1.3.10.6(O)	Measles doses opened	2900
1.3.10.7(G)	TT doses given	4625
1.3.10.7(O)	TT doses opened	4793
C1.1.3.11	Early institutional Neonatal Death	33
1.3.11.1	Number of deaths in the first 24 hrs of life /institutional/	15
1.3.11.2	Number of neonatal deaths between 1 and 7 days of life/institutional/	18
C1.1.3.12	Neonatal death rate at community	
1.3.12.1	Number of deaths in the first seven days of life in the community	0
1.3.12.2	Total number of live births in the kebele	0
1.3.12.3	Total number of neonatal deaths in the kebele	0
C1.2	Nutrition	
C1.2.1	Percentage of Low birth weight newborns	

2.1.1	Number of live-born babies with birth weight less than 2,500 g	98
2.1.2	Total number of live births weighed	2086
C1.2.2	Percentage of underweight Children aged Less than 5 years (Growth Monitoring)	
2.2.1	Number of weights measured for children under 5yrs, by age	10446
2.2.1.1	Age: 0-24 Months	7230
2.2.1.2	Age: 25-59 Months	3216
2.2.2	Number of weights recorded with moderate malnutrition, by age (Z-score below -2 and -3: Under weight)	92
2.2.2.1	Age: 0-24 Months	53
2.2.2.2	Age: 25-59 Months	39
2.2.3	Number of weights recorded with severe malnutrition, by age (Z-score below -3: Severely under weight)	91
2.2.3.1	Age: 0-24 Months	62
2.2.3.2	Age: 25-59 Months	29
C1.2.3	Proportion of children 6 - 59 months with severe acute malnutrition	
2.3.1	Total Number of children screened for malnutrition	3872
2.3.2	Number of children screened and have severe acute malnutrition	60
C1.2.4	Treatment outcome for management of severe acute malnutrition in children 6-59 months	
2.4.1	Number of children recovered	27
2.4.2	Number of children defaulted	1
2.4.3	Number of children transferred	0
2.4.4	Number of children died	2
2.4.5	Total number of children who exit from severe acute malnutrition treatment	30
C1.2.5	Proportion of children aged 6-59 months who received a dose of vitamin A supplementation	
2.5.1	Number of children aged 6-59 months supplemented with vitamin-A	101
C1.3	Hygiene and Environmental health	
C1.3.1	Proportion of households access to latrine facilities	
3.1.1	Number of HHs with improved latrine (Hand washing facility + Slab + ventilation pipe) during the quarter	186
3.1.2	Number of HHs with unimproved latrine during the quarter	61
3.1.3	Number of households with any type of latrine facilities (both unimproved and improved)	247
C1.3.2	Proportion of households using latrine	
3.2.1	Number of HHS utilizing latrine	186
C1.3.3	Kebele declared Open Defecation Free	
3.3.1	Number of Kebeles that have been declared open defecation free	0
C1.4	Prevention and Control of Diseases	
C1.4.2	Communicable diseases	
C1.4.2.1	HIV/AIDS	
C1.4.2.1.1	Number of individuals who have been tested for HIV and who received their results	26323
4.2.1.1.1	VCT	

4.2.1.1.1.1	Clients receiving HIV test results (at VCT)	7281
4.2.1.1.1.1	15-19 years : males	471
4.2.1.1.1.1	: females	683
4.2.1.1.1.1	20-24 years : males	989
4.2.1.1.1.1	: females	1232
4.2.1.1.1.1	25-49 years : males	1740
4.2.1.1.1.1	: females	1935
4.2.1.1.1.1	Grater than or equal to 50 years : males	161
4.2.1.1.1.1	: females	70
4.2.1.1.1.2	Clients testing positive for HIV (at VCT)	215
4.2.1.1.1.2	15-19 years : males	2
4.2.1.1.1.2	: females	7
4.2.1.1.1.2	20-24 years : males	2
4.2.1.1.1.2	: females	17
4.2.1.1.1.2	25-49 years : males	52
4.2.1.1.1.2	: females	119
4.2.1.1.1.2	Grater than or equal to 50 years : males	11
4.2.1.1.1.2	: females	5
4.2.1.1.2	PITC	
4.2.1.1.2.1	Clients receiving HIV test results (at PITC)	19042
4.2.1.1.2.1	Less than 1 year: males	236
4.2.1.1.2.1	: females	159
4.2.1.1.2.1	1-4 years : males	549
4.2.1.1.2.1	: females	407
4.2.1.1.2.1	5-9 years : males	244
4.2.1.1.2.1	: females	214
4.2.1.1.2.1	10-14 years : males	290
4.2.1.1.2.1	: females	205
4.2.1.1.2.1	15-19 years : males	333
4.2.1.1.2.1	: females	1273
4.2.1.1.2.1	20-24 years : males	889
4.2.1.1.2.1	: females	4309
4.2.1.1.2.1	25-49 years : males	2384
4.2.1.1.2.1	: females	6146
4.2.1.1.2.1	Grater than or equal to 50 years : males	794
4.2.1.1.2.1	: females	610
4.2.1.1.2.2	Clients testing positive for HIV (at PITC)	263

4.2.1.1.2.2	Less than 1 year: males	0
4.2.1.1.2.2	: females	1
4.2.1.1.2.2	1-4 years : males	1
4.2.1.1.2.2	: females	0
4.2.1.1.2.2	5-9 years : males	4
4.2.1.1.2.2	: females	1
4.2.1.1.2.2	10-14 years : males	1
4.2.1.1.2.2	: females	2
4.2.1.1.2.2	15-19 years : males	7
4.2.1.1.2.2	: females	7
4.2.1.1.2.2	20-24 years : males	9
4.2.1.1.2.2	: females	40
4.2.1.1.2.2	25-49 years : males	84
4.2.1.1.2.2	: females	93
4.2.1.1.2.2	Grater than or equal to 50 years : males	8
4.2.1.1.2.2	: females	5
	HIV care (Pre-ART and ART)	
C1.4.2.1.2	Newly enrolled in pre-ART care	0
4.2.1.2.1	Number of adults and children with HIV infection newly enrolled in Pre ART care	293
4.2.1.2.1.1	Less than 1 year: males	0
4.2.1.2.1.2	: females	1
4.2.1.2.1.3	1-4 years : males	1
4.2.1.2.1.4	: females	2
4.2.1.2.1.5	5-9 years : males	2
4.2.1.2.1.6	: females	0
4.2.1.2.1.7	10-14 years : males	4
4.2.1.2.1.8	: females	1
4.2.1.2.1.9	15-19 years : males	4
4.2.1.2.1.1	: females	14
4.2.1.2.1.1	20-24 years : males	5
4.2.1.2.1.1	: females	31
4.2.1.2.1.1	25-49 years : males	82
4.2.1.2.1.1	: females	127
4.2.1.2.1.1	Grater than or equal to 50 years : males	11
4.2.1.2.1.1	: females	8
C1.4.2.1.3	HIV positive persons receiving co-trimoxazole prophylaxis	
4.2.1.3.1	Number of HIV positive persons receiving CTX prophylaxis	9545

C1.4.2.1.4	Number of PLHIV ever started on ART	0
4.2.1.4.1	Number of adults and children with advanced HIV infection ever started on ART	19810
4.2.1.4.1.1	Less than 1 year: males	82
4.2.1.4.1.2	: females	85
4.2.1.4.1.3	1-4 years : males	199
4.2.1.4.1.4	: females	203
4.2.1.4.1.5	5-9 years : males	257
4.2.1.4.1.6	: females	248
4.2.1.4.1.7	10-14 years : males	194
4.2.1.4.1.8	: females	176
4.2.1.4.1.9	15-19 years : males	70
4.2.1.4.1.10	: females Non-pregnant	222
4.2.1.4.1.11	: females Pregnant	22
4.2.1.4.1.12	20-24 years : males	397
4.2.1.4.1.13	: females Non-pregnant	1696
4.2.1.4.1.14	: females Pregnant	239
4.2.1.4.1.15	25-49 years : males	6142
4.2.1.4.1.16	: females Non-Pregnant	7680
4.2.1.4.1.17	: females Pregnant	562
4.2.1.4.1.18	Grater than or equal to 50 years : males	772
4.2.1.4.1.19	: females	564
C1.4.2.1.5	Number of adults and children who are currently on ART	11871
4.2.1.5.1	Adults Grater than or equal to 15 years	11299
4.2.1.5.1.1	First Line Regimen	10925
4.2.1.5.1.1.1	1a(30) = d4t(30)-3TC-NVP : males	0
4.2.1.5.1.1.2	: females	0
4.2.1.5.1.1.3	1a(40) = d4t(40)-3TC-NVP : males	0
4.2.1.5.1.1.4	: females	0
4.2.1.5.1.1.5	1b(30) = d4t(30)-3TC-EFV : males	0
4.2.1.5.1.1.6	: females	0
4.2.1.5.1.1.7	1b(40) = d4t(40)-3TC-EFV : males	0
4.2.1.5.1.1.8	: females	0
4.2.1.5.1.1.9	1c = AZT-3TC-NVP : males	1028
4.2.1.5.1.1.10	: females	1629
4.2.1.5.1.1.11	1d = AZT-3TC-EFV : males	455
4.2.1.5.1.1.12	: females	491
4.2.1.5.1.1.13	1e = TDF-3TC-EFV : male	2258

4.2.1.5.1.1	: female	3915
4.2.1.5.1.1	1f= TDF + 3TC+ NVP : male	341
4.2.1.5.1.1	:female	789
4.2.1.5.1.1	1g= ABC + 3TC + EFV : male	6
4.2.1.5.1.1	: females	9
4.2.1.5.1.1	1h= ABC + 3TC NVP : male	2
4.2.1.5.1.1	: females	1
4.2.1.5.1.1	OTHERs : male	1
4.2.1.5.1.1	: females	0
4.2.1.5.1.2	Adult Second Line Regimen	374
4.2.1.5.1.2	2a = ABC-ddl-LPV/R : males	0
4.2.1.5.1.2	: females	0
4.2.1.5.1.2	2b = ABC+ddl-NFV : males	0
4.2.1.5.1.2	: females	0
4.2.1.5.1.2	2c = TDF-ddl-LPV/R : males	0
4.2.1.5.1.2	: females	0
4.2.1.5.1.2	2d = TDF-ddl-NFV : males	0
4.2.1.5.1.2	: females	0
4.2.1.5.1.2	2e= AZT-3TC-LPV/r : male	30
4.2.1.5.1.2	: females	23
4.2.1.5.1.2	2f =AZT-3TC-ATV/r : male	42
4.2.1.5.1.2	: females	60
4.2.1.5.1.2	2g= TDF-3TC-LPV/r : male	4
4.2.1.5.1.2	: females	3
4.2.1.5.1.2	2h =TDF-3TC-ATV/r : male	71
4.2.1.5.1.2	: females	69
4.2.1.5.1.2	2i = ABC + 3TC + LPV/r : male	7
4.2.1.5.1.2	: females	1
4.2.1.5.1.2	OTHERs : male	35
4.2.1.5.1.2	: females	29
	Children	572
4.2.1.2	Less than 1 year	4
4.2.1.2.1	First Line Regimen	4
4.2.1.2.1.1	4a = d4T-3TC-NVP : males	0
4.2.1.2.1.2	: females	0
4.2.1.2.1.3	4b = d4T-3TC-EFV : males	0
4.2.1.2.1.4	: females	0

4.2.1.2.1.5	4c = AZT-3TC-NVP : males	0
4.2.1.2.1.6	: females	1
4.2.1.2.1.7	4d = AZT-3TC-EFV : males	0
4.2.1.2.1.8	: females	0
4.2.1.2.1.9	4e= TDF-3TC-EFV: males	0
4.2.1.2.1.10	: females	0
4.2.1.2.1.11	4f=AZT + 3TC + LPV/r: males	0
4.2.1.2.1.12	: females	0
4.2.1.2.1.13	4g=ABC + 3TC + LPV/r : males	1
4.2.1.2.1.14	: females	1
4.2.1.2.1.15	OTHER : males	1
4.2.1.2.1.16	: females	0
4.2.1.2.2	Second Line Regimen	0
4.2.1.2.2.1	5a = ABC-ddI-LPV/R : males	0
4.2.1.2.2.2	: females	0
4.2.1.2.2.3	5b = ABC+ddI-NFV : males	0
4.2.1.2.2.4	: females	0
4.2.1.2.2.5	5c = TDF-ddI-LPV/R : males	0
4.2.1.2.2.6	: females	0
4.2.1.2.2.7	5d = TDF-ddI-NFV : males	0
4.2.1.2.2.8	: females	0
4.2.1.2.2.9	5e=ABC + 3TC + LPV/r: males	0
4.2.1.2.2.10	: females	0
4.2.1.2.2.11	5f=AZT + 3TC + LPV/r : males	0
4.2.1.2.2.12	: females	0
4.2.1.2.2.13	5g= TDF + 3TC + EFV : males	0
4.2.1.2.2.14	: females	0
4.2.1.2.2.15	5h=ABC + 3TC + EFV : males	0
4.2.1.2.2.16	: females	0
4.2.1.2.2.17	5i=TDF + 3TC+ LPV/r : males	0
4.2.1.2.2.18	: females	0
4.2.1.2.2.19	5j=ABC+ 3TC+ LPV/r : males	0
4.2.1.2.2.20	: females	0
4.2.1.2.2.21	OTHER : males	0
4.2.1.2.2.22	: females	0
4.2.1.3	Children aged 1-4 years	34
4.2.1.3.1	First Line Regimen	33

4.2.1.3.1.1	4a = d4T-3TC-NVP : males	0
4.2.1.3.1.2	: females	0
4.2.1.3.1.3	4b = d4T-3TC-EFV : males	0
4.2.1.3.1.4	: females	0
4.2.1.3.1.5	4c = AZT-3TC-NVP : males	10
4.2.1.3.1.6	: females	5
4.2.1.3.1.7	4d = AZT-3TC-EFV : males	3
4.2.1.3.1.8	: females	0
4.2.1.3.1.9	4e= TDF-3TC-EFV: males	1
4.2.1.3.1.10	: females	2
4.2.1.3.1.11	4f=AZT + 3TC + LPV/r: males	0
4.2.1.3.1.12	: females	3
4.2.1.3.1.13	4g=ABC + 3TC + LPV/r : males	0
4.2.1.3.1.14	: females	0
4.2.1.3.1.15	OTHER : males	8
4.2.1.3.1.16	: females	1
4.2.1.3.2	Second Line Regimen	1
4.2.1.3.2.1	5a = ABC-ddI-LPV/R : males	0
4.2.1.3.2.2	: females	0
4.2.1.3.2.3	5b = ABC+ddI-NFV : males	0
4.2.1.3.2.4	: females	0
4.2.1.3.2.5	5c = TDF-ddI-LPV/R : males	0
4.2.1.3.2.6	: females	0
4.2.1.3.2.7	5d = TDF-ddI-NFV : males	0
4.2.1.3.2.8	: females	0
4.2.1.3.2.9	5e=ABC + 3TC + LPV/r: males	0
4.2.1.3.2.10	: females	0
4.2.1.3.2.11	5f=AZT + 3TC + LPV/r : males	0
4.2.1.3.2.12	: females	0
4.2.1.3.2.13	5g= TDF + 3TC + EFV : males	0
4.2.1.3.2.14	: females	0
4.2.1.3.2.15	5h=ABC + 3TC + EFV : males	0
4.2.1.3.2.16	: females	1
4.2.1.3.2.17	5i=TDF + 3TC+ LPV/r : males	0
4.2.1.3.2.18	: females	0
4.2.1.3.2.19	5j=ABC+ 3TC+ LPV/r : males	0
4.2.1.3.2.20	: females	0

4.2.1.3.2.2	OTHER : males	0
4.2.1.3.2.2	: females	0
4.2.1.4	Children aged 5-14 years	534
4.2.1.4.1	First Line Regimen	504
4.2.1.4.1.1	4a = d4T-3TC-NVP : males	0
4.2.1.4.1.2	: females	0
4.2.1.4.1.3	4b = d4T-3TC-EFV : males	0
4.2.1.4.1.4	: females	0
4.2.1.4.1.5	4c = AZT-3TC-NVP : males	173
4.2.1.4.1.6	: females	139
4.2.1.4.1.7	4d = AZT-3TC-EFV : males	49
4.2.1.4.1.8	: females	46
4.2.1.4.1.9	4e= TDF-3TC-EFV: males	22
4.2.1.4.1.10	: females	10
4.2.1.4.1.11	4f=AZT + 3TC + LPV/r: males	5
4.2.1.4.1.12	: females	10
4.2.1.4.1.13	4g=ABC + 3TC + LPV/r : males	0
4.2.1.4.1.14	: females	1
4.2.1.4.1.15	OTHER : males	25
4.2.1.4.1.16	: females	24
4.2.1.4.2	Second Line Regimen	30
4.2.1.4.2.1	5a = ABC-ddI-LPV/R : males	0
4.2.1.4.2.2	: females	0
4.2.1.4.2.3	5b = ABC+ddI-NFV : males	0
4.2.1.4.2.4	: females	0
4.2.1.4.2.5	5c = TDF-ddI-LPV/R : males	0
4.2.1.4.2.6	: females	0
4.2.1.4.2.7	5d = TDF-ddI-NFV : males	0
4.2.1.4.2.8	: females	0
4.2.1.4.2.9	5e=ABC + 3TC + LPV/r: males	0
4.2.1.4.2.10	: females	0
4.2.1.4.2.11	5f=AZT + 3TC + LPV/r : males	0
4.2.1.4.2.12	: females	2
4.2.1.4.2.13	5g= TDF + 3TC + EFV : males	0
4.2.1.4.2.14	: females	0
4.2.1.4.2.15	5h=ABC + 3TC + EFV : males	7
4.2.1.4.2.16	: females	8

4.2.1.4.2.1	5i=TDF + 3TC+ LPV/r : males	1
4.2.1.4.2.1	: females	0
4.2.1.4.2.1	5j=ABC+ 3TC+ LPV/r : males	8
4.2.1.4.2.2	: females	3
4.2.1.4.2.2	OTHER : males	0
4.2.1.4.2.2	: females	1
C1.4.2.1.6	Number of adults and children with HIV infection newly started on ART	258
4.2.1.6.1	Less than 1 year: males	1
4.2.1.6.2	: females	1
4.2.1.6.3	1-4 years : males	0
4.2.1.6.4	: females	3
4.2.1.6.5	5-9 years : males	1
4.2.1.6.6	: females	0
4.2.1.6.7	10-14 years : males	3
4.2.1.6.8	: females	3
4.2.1.6.9	15-19 years : males	2
4.2.1.6.10	: Females Non-pregnant	8
4.2.1.6.11	: Female Pregnant	3
4.2.1.6.12	20-24 years : males	5
4.2.1.6.13	: Females Non-pregnant	17
4.2.1.6.14	: Female Pregnant	11
4.2.1.6.15	25-49 years : males	68
4.2.1.6.16	: Females Non-pregnant	95
4.2.1.6.17	: Female Pregnant	15
4.2.1.6.18	Grater than or equal to 50 years : males	12
4.2.1.6.19	: females	10
C1.4.2.1.7	ART cohort alive and on ART (from ART facility cohort report) at 12 months (Survival on ART)	
4.2.1.7.1	Number of persons on original 1st line regimen, including those on alternate 1st line regimen and those transferred in	159
4.2.1.7.2	Number of persons on ART in the original cohort including those transferred in, minus those transferred out	196
C1.4.2.1.8	Percentage of ART patients with an undetectable viral load at 12 month after initiation of ART	
4.2.1.8.1	Number of adult and pediatric patients with an undetectable viral load Less than 1,000 copies/ml at 12 months	382
4.2.1.8.2	Number of adults and children who initiated ART in the 12 months prior to the beginning of the report	416
C1.4.2.1.9	Proportion of clinically undernourished People Living with HIV (PLHIV) who received therapeutic or supplementary food	
4.2.1.9.1	Number of clinically undernourished PLHIV that received therapeutic or supplementary food	150
4.2.1.9.1.1	Clinically undernourished PLHIV who are on ART and received therapeutic or supplementary food	145
4.2.1.9.1.1	Less than 1 year: males	0
4.2.1.9.1.1	: females	0

4.2.1.9.1.1	1-4 years : males	0
4.2.1.9.1.1	: females	1
4.2.1.9.1.1	5-14 years : males	2
4.2.1.9.1.1	: females	10
4.2.1.9.1.1	15-19 years : males	6
4.2.1.9.1.1	: Females Non-pregnant	3
4.2.1.9.1.1	: Female Pregnant	0
4.2.1.9.1.1	Grater than or equal to 20 years : males	54
4.2.1.9.1.1	: Females Non-pregnant	65
4.2.1.9.1.1	: Female Pregnant	4
4.2.1.9.1.2	Clinically undersnourished PLHIV who are NOT on ART that received therapeutic or supplementary f	5
4.2.1.9.1.2	Less than 1 year: males	0
4.2.1.9.1.2	: females	0
4.2.1.9.1.2	1-4 years : males	0
4.2.1.9.1.2	: females	0
4.2.1.9.1.2	5-14 years : males	0
4.2.1.9.1.2	: females	0
4.2.1.9.1.2	15-19 years : males	0
4.2.1.9.1.2	: Females Non-pregnant	0
4.2.1.9.1.2	: Female Pregnant	0
4.2.1.9.1.2	Grater than or equal to 20 years : males	1
4.2.1.9.1.2	: Females Non-pregnant	4
4.2.1.9.1.2	: Female Pregnant	0
4.2.1.9.2	Number of PLHIV that were nutritionally assessed and found to be clinically undernourished	659
4.2.1.9.2.1	Less than 1 year: males	0
4.2.1.9.2.2	: females	0
4.2.1.9.2.3	1-4 years : males	10
4.2.1.9.2.4	: females	5
4.2.1.9.2.5	5-14 years : males	100
4.2.1.9.2.6	: females	67
4.2.1.9.2.7	15-19 years : males	28
4.2.1.9.2.8	: females non pregnant	25
4.2.1.9.2.9	: females pregnant	0
4.2.1.9.2.1	Grater than or equal to 20 years : males	160
4.2.1.9.2.1	: females non pregnant	256
4.2.1.9.2.1	: females pregnant	8
C1.4.2.1.1	Number of HIV-positive adults and children Currently receiving clinical care	35176

4.2.1.10.1	Number of HIV positive adults and children who received at least one of the following during the repo	35176
4.2.1.10.1.1	Less than 1 year: males	8
4.2.1.10.1.2	: females	4
4.2.1.10.1.3	1-4 years : males	65
4.2.1.10.1.4	: females	45
4.2.1.10.1.5	5-9 years : males	302
4.2.1.10.1.6	: females	322
4.2.1.10.1.7	10-14 years : males	572
4.2.1.10.1.8	: females	555
4.2.1.10.1.9	15-19 years : males	589
4.2.1.10.1.10	: females	491
4.2.1.10.1.11	20-24 years : males	217
4.2.1.10.1.12	: females	890
4.2.1.10.1.13	25-49 years : males	9080
4.2.1.10.1.14	: females	17212
4.2.1.10.1.15	Grater than or equal to 50 years : males	2769
4.2.1.10.1.16	: females	2055
C1.4.2.1.1	Number of newly enrolled HIV positive adults and children who received clinical Service (clinical WH	234
4.2.1.11.1	Less than 1 year: males	0
4.2.1.11.2	: females	1
4.2.1.11.3	1-4 years : males	1
4.2.1.11.4	: females	2
4.2.1.11.5	5-9 years : males	2
4.2.1.11.6	: females	0
4.2.1.11.7	10-14 years : males	2
4.2.1.11.8	: females	1
4.2.1.11.9	15-19 years : males	1
4.2.1.11.10	: females	7
4.2.1.11.11	20-24 years : males	2
4.2.1.11.12	: females	19
4.2.1.11.13	25-49 years : males	68
4.2.1.11.14	: females	113
4.2.1.11.15	Grater than or equal to 50 years : males	9
4.2.1.11.16	: females	6
C1.4.2.1.12	Number of persons provided with Post-exposure prophylaxis (PEP)	10
4.2.1.12.1	Number of persons provided with post-exposure prophylaxis (PEP) for risk of HIV infection	10
4.2.1.12.1.1	For occupational risk	6

4.2.1.12.1.	For Non occupational risk	4
C1.4.2.1.14	Percentage of HIV infected women using a modern family planning method	
4.2.1.14.1	Number of HIV infected women aged 15-49 reporting the use of any method of modern family planning	6839
4.2.1.14.1.	Less than 15 years	0
4.2.1.14.1.	15-19 years	53
4.2.1.14.1.	20-24 years	554
4.2.1.14.1.	25-49 years	6232
C1.4.2.2	Tuberculosis	
4.2.2.1	Tuberculosis case detection rate (all forms)	
4.2.2.1.1	Number of bacteriologically confirmed New PTB cases detected in the quarter	84
4.2.2.1.1.1	0-4 years : males	0
4.2.2.1.1.2	: females	0
4.2.2.1.1.3	5-14 years : males	0
4.2.2.1.1.4	: females	0
4.2.2.1.1.5	15-24 years : males	9
4.2.2.1.1.6	: females	16
4.2.2.1.1.7	25-34 years : males	16
4.2.2.1.1.8	: females	9
4.2.2.1.1.9	35- 44 years: males	15
4.2.2.1.1.1	: females	5
4.2.2.1.1.1	45-54 years: males	6
4.2.2.1.1.1	: females	5
4.2.2.1.1.1	55-64 years : males	1
4.2.2.1.1.1	: females	0
4.2.2.1.1.1	Grater than or equal to 65 years : males	2
4.2.2.1.1.1	: females	0
4.2.2.1.1.1	unknown : males	0
4.2.2.1.1.1	: females	0
4.2.2.1.2	Number of clinically diagnosed New P/Negative TB cases detected in the quarter	71
4.2.2.1.2.1	0-4 years : Males	0
4.2.2.1.2.2	: Females	1
4.2.2.1.2.3	5-14 years : Males	4
4.2.2.1.2.4	: Females	1
4.2.2.1.2.5	15-24 years : males	8
4.2.2.1.2.6	: females	5
4.2.2.1.2.7	25-34 years : males	22
4.2.2.1.2.8	: females	8

4.2.2.1.2.9	35-44 years: males	7
4.2.2.1.2.1	: females	1
4.2.2.1.2.1	45-54 years: males	4
4.2.2.1.2.1	: females	2
4.2.2.1.2.1	55-64 years : males	3
4.2.2.1.2.1	: females	1
4.2.2.1.2.1	Grater than or equal to 65 years : males	2
4.2.2.1.2.1	: females	2
4.2.2.1.2.1	unknown : males	0
4.2.2.1.2.1	: females	0
4.2.2.1.3	Number of clinically diagnosed New EPTB cases detected in the quarter	81
4.2.2.1.3.1	0-4 years : Males	0
4.2.2.1.3.2	: Females	2
4.2.2.1.3.3	5-14 years : Males	3
4.2.2.1.3.4	: Females	5
4.2.2.1.3.5	15-24 years : males	8
4.2.2.1.3.6	: females	15
4.2.2.1.3.7	25-34 years : males	15
4.2.2.1.3.8	: females	13
4.2.2.1.3.9	35-44 years: males	6
4.2.2.1.3.1	: females	4
4.2.2.1.3.1	45-54 years: males	3
4.2.2.1.3.1	: females	0
4.2.2.1.3.1	55-64 years : males	3
4.2.2.1.3.1	: females	0
4.2.2.1.3.1	Grater than or equal to 65 years : males	3
4.2.2.1.3.1	: females	1
4.2.2.1.3.1	unknown : males	0
4.2.2.1.3.1	: females	0
4.2.2.1.4	Number of bacteriologically confirmed RELAPSE PTB cases detected in the quarter	3
4.2.2.1.4.1	0-4 years : Males	0
4.2.2.1.4.2	: Females	0
4.2.2.1.4.3	5-14 years : Males	0
4.2.2.1.4.4	: Females	0
4.2.2.1.4.5	15-24 years : males	1
4.2.2.1.4.6	: females	0
4.2.2.1.4.7	25-34 years : males	0

4.2.2.1.4.8	: females	0
4.2.2.1.4.9	35-44 years: males	2
4.2.2.1.4.1	: females	0
4.2.2.1.4.1	45-54 years: males	0
4.2.2.1.4.1	: females	0
4.2.2.1.4.1	55-64 years : males	0
4.2.2.1.4.1	: females	0
4.2.2.1.4.1	Grater than or equal to 65 years : males	0
4.2.2.1.4.1	: females	0
4.2.2.1.4.1	unknown : males	0
4.2.2.1.4.1	: females	0
C1.4.2.2.2	Tuberculosis re-treatment rate	
4.2.2.2.1	Treatment after relapse(R) :Males	3
4.2.2.2.2	: Females	1
4.2.2.2.3	Treatment after failure(F) : Males	0
4.2.2.2.4	: Females	0
4.2.2.2.5	Treatment after loss to follow-up (L) : Males	0
4.2.2.2.6	: Females	0
4.2.2.2.7	Other previously treated (unknown & undocumented treatment outcome) (O) : Males	1
4.2.2.2.8	: Females	0
C1.4.2.2.3	TB Treatment outcome	
4.2.2.3.1	Results for bacteriologically confirmed PTB cases registered cohort in the same quarter of the previ	
4.2.2.3.1.1	Total number of bacteriologically confirmed TB cases enrolled in cohort :	62
4.2.2.3.1.1	Treatment completed PTB+	4
4.2.2.3.1.1	Cured PTB+	48
4.2.2.3.1.1	Lost to follow up PTB+	2
4.2.2.3.1.1	Deaths PTB+	2
4.2.2.3.1.1	Failure PTB+	0
4.2.2.3.1.1	Not evaluated PTB+	6
4.2.2.3.1.1	Moved to MDR TB Register	0
4.2.2.3.2	Results for clinically diagnosed P/Neg TB cases cohort registered in the same quarter of previous E	
4.2.2.3.2.1	Total number of New P/Neg TB cases enrolled in the cohort (P/Neg):	50
4.2.2.3.2.1	Treatment completed P/Neg TB	35
4.2.2.3.2.1	Lost to follow up P/Neg TB	5
4.2.2.3.2.1	Deaths P/Neg TB	7
4.2.2.3.2.1	Failure P/Neg TB	0
4.2.2.3.2.1	Not evaluated P/Neg TB	3

4.2.2.3.2.1	Moved to MDR TB Register P/Neg TB	0
4.2.2.3.3	Results for clinically diagnosed EPTB cases cohort registered in the same quarter of the previous EFY	
4.2.2.3.3.1	Total number of clinically diagnosed New EPTB cases enrolled in the cohort:	74
4.2.2.3.3.1	Treatment completed EPTB cases	63
4.2.2.3.3.1	Lost to follow up EPTB cases	3
4.2.2.3.3.1	Deaths EPTB cases	2
4.2.2.3.3.1	Failure EPTB cases	0
4.2.2.3.3.1	Not evaluated EPTB cases	5
4.2.2.3.3.1	Moved to MDR TB Register EPTB cases	0
C1.4.2.2.8	TB case Detection through community TB care	
4.2.2.8.1	Number of notified TB cases (all forms) referred by the community to a health facility for TB diagnosis	6
4.2.2.8.1.1	Males	6
4.2.2.8.1.2	Females	0
4.2.2.8.2	Total number of TB cases (all forms) diagnosed during the same period	95
C1.4.2.2.9	Proportion of TB cases (all forms) provided treatment observation (DOT) by community among all TB cases	
4.2.2.9.1	Number of new TB patients (all forms) registered in the same quarter of previous EFY successfully treated	4
4.2.2.9.2	Total number of new TB patients (all forms) given treatment adherence support by community health workers	3
4.2.2.9.3	Total number of cohort TB cases(all forms) registered during the same cohort period in the facility	51
C1.4.2.2.10	Proportion of AFB Microscopy centers (HF) with adequate EQA performance	
4.2.2.10.1	Number of health facilities that participate on EQA during the quarter?	5
4.2.2.10.2	Number of AFB Microscopy centers (HF) with AFB Microscopy result show a 95% concordance on EQA	5
C1.4.2.2.11	Proportion of TB cases (all forms) contributed by private sector.	
4.2.2.11.1	Number of TB cases (all forms) diagnosed through private health facilities during the reporting period	38
	RR/MDR TB case Finding	
C1.4.2.2.12	Proportion of presumptive MDR TB cases with result for drug susceptibility testing (DST)	
4.2.2.12.1	Total Number of presumptive MDR TB suspects identified during the reporting period	3
4.2.2.12.1.1	Age Less than 15 years : Males	0
4.2.2.12.1.1	: Females	0
4.2.2.12.1.1	Age Grater than or equal to 15 years : Males	3
4.2.2.12.1.1	: Females	0
4.2.2.12.1.1	Number with DST results available for at least rifampicin	1
4.2.2.12.1.1	Age Less than 15 years : Male	0
4.2.2.12.1.1	: Female	0
4.2.2.12.1.1	Age Grater than or equal to 15 years : Male	1
4.2.2.12.1.1	: Female	0
C1.4.2.2.13	Number of MDR TB cases detected (RR/MDR- TB cases)	7
4.2.2.13.1	Total Number of confirmed RR TB cases	1

4.2.2.13.1.	RR TB cases age Less than 15 years	: Males	0
4.2.2.13.1.		: Female	0
4.2.2.13.1.	RR TB cases age: Grater than or equal to 15 years	: Males	1
4.2.2.13.1.		: Female	0
4.2.2.13.2	Total number of confirmed MDR TB cases		6
4.2.2.13.2.	MDR TB cases age Less than 15 years	: Males	3
4.2.2.13.2.		: Female	0
4.2.2.13.2.	MDR TB cases age: Grater than or equal to 15 years	: Males	3
4.2.2.13.2.		: Female	0
C1.4.2.2.14	MDR-TB cases enrolled on Second Line Drugs (SLDs)-Enrollment		
4.2.2.14.1	Confirmed MDR- RR/ TB cases put on second line treatment : Male		7
4.2.2.14.2			2
4.2.2.14.3	Confirmed MDR- RR/ TB cases put on second line TB treatment : HIV Positive		4
4.2.2.14.4			5
4.2.2.14.5	Unknown HIV status		0
4.2.2.14.6	Confirmed MDR-TB or RR/TB put on second line treatment :New		5
4.2.2.14.7			4
4.2.2.14.8			0
C1.4.2.2.15	MDR TB Treatment Six month Interim result		
4.2.2.15.1	Number of cohort RR/ MDR-TB cases initiated on second-line anti-TB 9 -12 months earlier		8
4.2.2.15.2	Number of RR/MDR TB cases for whom treatment Interim result was determined and document at 6		8
4.2.2.15.2.	Positive culture result at 6 months		0
4.2.2.15.2.	Negative culture result at 6 months		7
4.2.2.15.2.	Died before six month of treatment		1
4.2.2.15.2.	Lost to follow up during the first six month of treatment		0
4.2.2.15.2.	Not evaluated at six month of treatment		0
C1.4.2.2.16	Final outcome MDR-TB cases (reported after 24 and 36 months of enrolment)		
4.2.2.16.1	Number of MDR-TB cases enrolled on second-line anti-TB treatment 24 months OR 36 months		22
4.2.2.16.1.	Number of confirmed MDR-TB cases started on 2nd line treatment for whom 24 months outcome h		14
4.2.2. 16.1	Cured		12
4.2.2. 16.1	Completed		1
4.2.2. 16.1	Died		0
4.2.2. 16.1	Failed		0
4.2.2. 16.1	Lost to follow-up		1
4.2.2. 16.1	Not evaluated		0
4.2.2.16.1.	Number of confirmed MDR-TB cases started on 2nd line treatment for whom 36 months outcome h		8
4.2.2.16.1.	Cured		7

4.2.2.16.1.	Completed	1
4.2.2.16.1.	Died	0
4.2.2.16.1.	Failed	0
4.2.2.16.1.	Lost to follow-up	0
4.2.2.16.1.	Not evaluated	0
C1.4.2.3	Leprosy	
C1.4.2.3.1	Leprosy case notification	
4.2.3.1.1	Total number of new leprosy cases detected	4
4.2.3.1.1.1	PB: Male Less than 15 yrs	0
4.2.3.1.1.2	PB: Male = Grater than 15 yrs	0
4.2.3.1.1.3	PB: Female Less than 15 yrs	0
4.2.3.1.1.4	PB: Female = Grater than 15 yrs	1
4.2.3.1.1.5	MB : Male Less than 15 yrs	0
4.2.3.1.1.6	MB : Male = Grater than 15 yrs	2
4.2.3.1.1.7	MB : Female Less than 15 yrs	0
4.2.3.1.1.8	MB : Female Grater than or equal to 15 yrs	1
C1.4.2.3.2	Grade II disability rate among new cases of leprosy	
4.2.3.2.1	New leprosy cases with Grade II disability (MB+PB)	0
4.2.3.2.1.1	Male Less than 15	0
4.2.3.2.1.2	Male Grater than or equal to 15	0
4.2.3.2.1.3	FemaleLess than 15	0
4.2.3.2.1.4	Female Grater than or equal to 15	0
C1.4.2.3.3	Leprosy treatment completion rate (cases registered during 16-18 months earlier)	
4.2.3.3.1	Registered cohort of MB cases	1
4.2.3.3.1.1	Treatment completed MB cases	0
4.2.3.3.2	registered cohort of PB cases	0
4.2.3.3.2.1	Treatment completed PB cases	0
C1.4.2.4	TB/HIV	
C1.4.2.4.1	HIV screening for TB patients	
4.2.4.1.1	Number of TB cases enrolled to DOTS and who were tested for HIV : Male	109
4.2.4.1.2	Female	88
4.2.4.1.3	Number of TB patients with HIV positive test result : Male	18
4.2.4.1.4	Female	8
4.2.4.1.5	Number of TB patients with HIV- Negative test result : Male	82
4.2.4.1.6	Female	77
4.2.4.1.7	Number of TB patients with unknown (undocumented) HIV test result: Male	6
4.2.4.1.8	Female	3

C1.4.2.4.2	TB Screening for HIV positive Clients	
4.2.4.2.1	Number of clients enrolled in HIV care who were screened for TB during their last visit in the quarter :Male	4459
4.2.4.2.2	:Female	6910
4.2.4.2.3	Total Number of HIV positive clients with active TB: Male	15
4.2.4.2.4	Female	5
4.2.4.2.5	Total Number HIV positive clients who received HIV care during the reporting period : Male	4459
4.2.4.2.6	Female	7008
C1.4.2.4.3	Ant-Retroviral Therapy (ART) for HIV positive TB patients	
4.2.4.3.1	Total number of HIV positive TB patients registered in the quarter	29
4.2.4.3.2	Total number of previously known HIV positive TB patients who are on ART	18
4.2.4.3.2.1	Male 0-4 years	0
4.2.4.3.2.2	5-14 years	0
4.2.4.3.2.3	Grater than or equal to 15 years	14
4.2.4.3.2.4	Female 0-4 years	0
4.2.4.3.2.5	5-14 years	0
4.2.4.3.2.6	Grater than or equal to 15 years	4
4.2.4.3.3	Total number of newly tested HIV positive TB patients who are on ART	11
4.2.4.3.3.1	Male 0-4 years	0
4.2.4.3.3.2	5-14 years	0
4.2.4.3.3.3	Grater than or equal to 15 years	6
4.2.4.3.3.4	Female 0-4 years	0
4.2.4.3.3.5	5-14 years	0
4.2.4.3.3.6	Grater than or equal to 15 years	5
C1.4.2.4.4	INH Preventive therapy (IPT) for HIV + clients for whom active TB is excluded	
4.2.4.4.1	Newly enrolled in HIV care who started IPT during the quarter :	61
4.2.4.4.1.1	Less than 1 year : males	0
4.2.4.4.1.2	: females	0
4.2.4.4.1.3	1-4 years : males	0
4.2.4.4.1.4	: females	0
4.2.4.4.1.5	5-9 years : males	2
4.2.4.4.1.6	: females	0
4.2.4.4.1.7	10-14 years : males	0
4.2.4.4.1.8	: females	0
4.2.4.4.1.9	15-19 years : males	1
4.2.4.4.1.1	: females	1
4.2.4.4.1.1	20-24 years : males	0

4.2.4.4.1.1	: females	4
4.2.4.4.1.1	25-49 years : males	21
4.2.4.4.1.1	: females	24
4.2.4.4.1.1	Grater than or equal to 50 years : males	4
4.2.4.4.1.1	: females	4
4.2.4.4.2	Total Number of clients newly enrolled in HIV care in the quarter	194
4.2.4.4.2.1	Less than 1 year : males	0
4.2.4.4.2.2	: females	1
4.2.4.4.2.3	1-4 years : males	1
4.2.4.4.2.4	: females	2
4.2.4.4.2.5	5-9 years : males	2
4.2.4.4.2.6	: females	0
4.2.4.4.2.7	10-14 years : males	2
4.2.4.4.2.8	: females	1
4.2.4.4.2.9	15-19 years : males	2
4.2.4.4.2.1	: females	7
4.2.4.4.2.1	20-24 years : males	2
4.2.4.4.2.1	: females	15
4.2.4.4.2.1	25-49 years : males	70
4.2.4.4.2.1	: females	71
4.2.4.4.2.1	Grater than or equal to 50 years : males	10
4.2.4.4.2.1	: females	8
C1.4.2.4.5	Co-trimoxazole preventive therapy during TB treatment	
4.2.4.5.1	Number of HIV-positive TB patients, registered , who are starting or continuing CPT treatment during reporting period:	41
4.2.4.5.1.1	: Male	26
4.2.4.5.1.2	:Female	15
	Malaria	
C1.4.2.5.3	Malaria positivity rate	
4.2.5.3.1	Number of slides or RDT positive for malaria	67
4.2.5.3.1.1	Less than 5 years : males	1
4.2.5.3.1.2	: females	3
4.2.5.3.1.3	5-14 years : males	7
4.2.5.3.1.4	: females	2
4.2.5.3.1.5	Grater than or equal to 15 years : males	23
4.2.5.3.1.6	: females	31
4.2.5.3.1.7	Total number of slides or RDT performed for malaria diagnosis	2346

C1.4.2.6	Neglected tropical diseases (NTDs)	
C1.4.2.6.1	Therapeutic Coverage for preventive chemotherapy diseases (PCT)	
4.2.6.1.1	Number of individuals who swallowed MDA drug for : Trachoma	0
4.2.6.1.2	: Onchocerciasis	0
4.2.6.1.3	: Lymphatic Filariasis	0
4.2.6.1.4	: Schistosomiasis	0
4.2.6.1.5	: Soil transmitting helminthes (STH)	0
C1.4.2.6.2	Number of lymph edema cases treated	0
4.2.6.2.1	Number of Lymphatic Filariasis cases treated	0
4.2.6.2.2	Number of Podoconiosis cases treated	0
C1.4.3	Non-Communicable diseases	
C1.4.3.4	Cervical cancer screening in women age 30 - 49 using VIA/PAP smear	
4.3.4.1	Number of women age 30-49 screened once with VIA/PAP for cervical cancer	260
4.3.4.1.1	Normal cervix	254
4.3.4.1.2	Precancerous lesion	3
4.3.4.1.3	Cancerous lesion	3
C2	Community ownership	
C2.1	Proportion of Model households graduated / Households Currently Model/	
1.1	Number of Newly graduated households during the reporting period	68
1.2	Number of previously graduated HHS	941
1.3	Number of graduated HHs who drop out from being model HHS	0
C2.2	Proportion of functional 1 to 5 networks	
2.1	Functional 1 to 5 networks	327
2.2	Expected number of 1 to 5 networks	400
P1	Quality of health Services	
P1.1	Outpatient attendance per capita	
1.1	Number of outpatient visits	127054
1.1.1	OPD visits Less than 5: new Male	5535
1.1.2	OPD visits Less than 5: new Female	4817
1.1.3	OPD visits Less than 5: repeat Male	1605
1.1.4	OPD visits Less than 5: repeat Female	1737
1.1.5	OPD visits 5-14: new Male	2835
1.1.6	OPD visits 5-14: new Female	2376
1.1.7	OPD visits 5-14: repeat Male	1249
1.1.8	OPD visits 5-14: repeat Female	1188
1.1.9	OPD visits Grater than = 15: new Male	26376
1.1.10	OPD visits Grater than = 15: new Female	34213

1.1.11	OPD visits Grater than or equal to 15: repeat Male	20332
1.1.12	OPD visits Grater than or equal to 15: repeat Female	24791
P1.2	Admission rate	
2.1	Number of inpatient admissions	3414
P1.3	Bed occupancy rate	
3.1	Total length of stay (in days)	16826
3.2	Number of beds	288
P1.4	Average length of stay	
4.1	Number of inpatient discharges	2794
C1.4.1.3	Inpatient Mortality Rate	
4.1.3.1	Number of inpatient deaths in the reporting period	80
P1.5	Proportion of blood units utilized from blood bank service	
5.1	Total units of blood received from NBTS & regional blood banks	594
5.2	Total number of units of blood transfused	589
5.2.1	Number of units of blood transfused from direct family replacement	0
5.2.2	Number of units of blood transfused that is from blood bank	589
P1.6	Serious adverse transfusion incidents and reactions	
6.1	Number of serious adverse transfusion incidents and reactions occurred	0
P3	Pharmaceutical supply and services	
	Essential drug availability	
	Tracer drug availability (Enter 1 if drug available whenever needed in month, 0 if ever unavailable when needed)	
	Amoxicillin	41
	Oral Rehydration Salt	38
	Arthemisin / Lumphantrine	33
	Mebendazole Tablets	41
	Tetracycline Eye Ointment	36
	Paracetamol	41
	Refampicine / Isoniazide / Pyrazinamide / Ethambutol	38
	Medroxyprogesterone (depo) Injection	35
	Ergometrine Maleate Tablets	20
	Ferrous Saitl plus Folic Acid	30
	Pentavalent DPT-Hep-Hib Vaccine	33
	Zinc	33
	Gentamycine	37
P5	Evidence Based Decision Making	
P5.1	Integrated Supportive supervision	

1.1	Number of supervisory visits with written feedback received	24
1.2	Number supervisory visits expected in the reporting period	2
P5.2	Reporting completeness	
2.1	Total number of reports received during a given time period	82
2.2	Total number of reports expected	88
P5.3	Reporting timeliness	
3.1	Number of reports received timely (according to schedule)	38
P5.4	Data quality assurance (LQAS at HF)	
4.1	LQAS score	91.538461
P5.4	Data quality assurance (RDQA at WoHO)	
5.4.1	RDQAs Validation Factor	0